

DALY, CROWLEY, MOFFORD & DURKEE, LLP

354A Turnpike Street - Suite 301A
CANTON, MASSACHUSETTS 02021-2714

TELEPHONE: 781-401-9988

FACSIMILE: 781-401-9966

CHRISTOPHER S. DALY
JUDITH C. CROWLEY
DONALD F. MOFFORD
PAUL D. DURKEE

KERMIT ROBINSON
ANTHONY T. MOOSEY

OF COUNSEL
MARIANNE M. DOWNING
CATHY L. PETERSON

January 10, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


RE: U.S. Patent of Karl Scheller et al.
U.S. Pat. No.: 7,199,579
Issued on: April 3, 2007
Entitled: PROXIMITY DETECTOR
U.S. Appl. No.: 10/795,930
Our Ref. No.: ALLEG-041PUS

Dear Sirs:

Enclosed is a completed Request for Certificate of Correction. It is requested that a Certificate of Correction be issued to correct the listed mistakes in the above-identified patent.

Authorization to charge the payment of \$100.00 to cover the cost of the Certificate of Correction in accordance with 37 C.F.R. §1.20(a) is hereby given. Please charge Deposit Account 50-0845.

Very truly yours,



Kermit Robinson
kr@dc-m.com

KR/mhw
Enclosures
71335.doc